

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	203519	(writ\$3 record\$3) near5 (circuit channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:13
S1	104192	((transmission near2 line) interconnect) same (transducer head element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:13
S7	3	S1 and S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:16
S5	3963	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:16
S3	9279	(resistor resistance) same ((transistor bjt fet pmos nmos mosfet mos\$4) near5 shunt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:16
S8	2	((("6121800") or ("6512646")).PN.	USPAT	OR	OFF	2006/04/04 10:30
S6	38	S1 and S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:30
S9	6	("6512646").URPN.	USPAT	OR	ON	2006/04/04 13:12
S10	232	(shunt\$3 near5 (resistor resistance)) same transistor same (overshoot overcurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:17

Handwritten:
1000
4/24/06

EAST Search History

S12	19	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:30
S14	51	S11 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:31
S11	203519	(writ\$3 record\$3) near5 (circuit channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:46
S13	2940	((overshoot\$3 overcurrent) near5 (shunt\$3 parallel protect\$3 compensat\$3 prevent\$3)) same transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:47
S17	25	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:52
S18	61605	(match\$3 near5 impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:22
S20	1	("5574702").PN.	USPAT	OR	OFF	2006/04/04 15:45
S19	33	S16 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:45
S21	2507	((overshoot\$3 overcurrent) same (shunt\$3 parallel protect\$3 compensat\$3 prevent\$3)) same transistor same (resistor resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:03

EAST Search History

S16	1388	((overshoot\$3 overcurrent) near5 (shunt\$3 parallel protect\$3 compensat\$3 prevent\$3)) same transistor same (resistor resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:03
S4	1023	overshoot\$3 and (impedance near5 match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:03
S22	61605	(impedance near5 match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:04
S23	82	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:06
S24	494937	(writ\$3 record\$3) near5 (circuit channel driver head transducer element sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:07
S15	218762	(writ\$3 record\$3) near5 (circuit channel driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:07
S25	16	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:08